L Number	Hits	Search Text	DB	Time stamp
1	2	5774358.pn.	USPAT;	2004/02/06 09:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
,	2	"20020002698"	USPAT;	2004/02/06 09:53
2	2	20020002090	US-PGPUB:	2004/02/00 09.55
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	154	702/119.ccls.	USPAT;	2004/02/06 09:52
			US-PGPUB;	
			EPO; JPO;	
ţ			DERWENT;	
			IBM_TDB	
-	2477	test same program same generator	USPAT;	2004/01/31 15:45
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	40	702/119.ccls. and (test same program same generator)	IBM_TDB	2004/01/31 13:43
-	13	rozri 19.ccis. and (test same program same generator)	USPAT; US-PGPUB;	2004/01/31 13.43
			EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
_	27048	702/\$.ccls.	USPAT;	2004/01/31 13:21
	27040	7 0274.0010.	US-PGPUB:	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	164	(test same program same generator) and 702/\$.ccls.	USPAT;	2004/01/31 13:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/04/24 42:42
-	46103	test same program	USPAT;	2004/01/31 13:43
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	90	702/119.ccls. and (test same program)	USPAT;	2004/01/31 13:43
_	30	1 10.0000. and (tool dame program)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	29842	test with program	USPAT;	2004/01/31 13:43
			US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
		700/440	IBM_TDB	2004/04/24 42:44
-	88	702/119.ccls. and (test with program)	USPAT;	2004/01/31 13:44
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	1458	702/\$.ccls. and (test with program)	USPAT;	2004/01/31 13:46
-	1700	, on whole and trock man program,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	"20020123863"	USPAT;	2004/01/31 13:47
	_		US-PGPUB;	
,			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	3	6611785.pn.	USPAT;	2004/01/31 13:47
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	6687633.pn.	USPAT;	2004/01/31 15:47
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	"20020143483"	USPAT;	2004/01/31 13:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	"20030136590"	USPAT;	2004/01/31 13:48
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	"20030236636"	USPAT;	2004/01/31 13:52
		•	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
		·	IBM_TDB	
-	2	6480794.pn.	USPAT;	2004/01/31 13:52
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	6594599.pn.	USPAT;	2004/01/31 13:52
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	"20030036865"	USPAT;	2004/01/31 13:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	"20030115008"	USPAT;	2004/01/31 13:54
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/64/64 15 = 1
-	2	"20020171428"	USPAT;	2004/01/31 13:54
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		H0000005544H	IBM_TDB	0004/04/04 40 5:
-	1	"20030225541"	USPAT;	2004/01/31 13:54
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	4000	A4 with a second with managed -	IBM_TDB	2004/04/24 46 44
-	1038	test with program with generator	USPAT;	2004/01/31 16:11
	İ		US-PGPUB;	
,			EPO; JPO;	
			DERWENT;	
	00	702/\$ colo and (toot with program with constant)	IBM_TDB USPAT;	2004/01/21 14:02
-	68	702/\$.ccls. and (test with program with generator)		2004/01/31 14:02
			US-PGPUB; EPO; JPO;	
			DERWENT;	
	l		IBM_TDB	L

-	526	(test with program with generator) and (instruction\$1 or machine)	USPAT; US-PGPUB;	2004/01/31 14:02
			EPO; JPO; DERWENT;	
	47	702/\$.ccls. and ((test with program with generator) and	IBM_TDB USPAT;	2004/01/31 16:04
-	<b></b>	(instruction\$1 or machine))	US-PGPUB;	2004/01/31 10:04
•		(mondonor or madriney)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	1
-	1458	702/\$.ccls. and (test with program)	USPAT;	2004/01/31 14:02
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	976	(702/\$.ccls. and (test with program)) and (instruction\$1 or	USPAT;	2004/01/31 14:02
		machine)	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
		(to all with the second of (110000004220001) on CC4470E and on	IBM_TDB	2004/04/24 44/50
-	4	(test with program) and ("20020123863" or 6611785.pn. or 6687633.pn. or "20020143483" or "20030136590" or	USPAT; US-PGPUB:	2004/01/31 14:50
		"20030236636" or 6480794.pn. or 6594599.pn. or	EPO; JPO;	
1		"20030036865" or "20030115008" or "20020171428" or	DERWENT;	
		"20030225541")	IBM_TDB	
_	3	(702/\$.ccls. and ((test with program with generator) and	USPAT;	2004/01/31 16:12
		(instruction\$1 or machine))) and (event\$1 with input)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;   IBM_TDB	
	1537	test\$3 with (program\$1 or software\$1) with generator\$1	USPAT;	2004/01/31 16:47
	1007	tootes with (programmer or solutions by the governor to	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0.4	(1 (00 (1) (	IBM_TDB	2004/01/31 16:47
-	81	(test\$3 with (program\$1 or software\$1) with generator\$1) and (event\$1 with test\$3) and (input with event\$1)	USPAT; US-PGPUB;	2004/01/31 10.47
		(eventor with testos) and (input with eventor)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	18	((test\$3 with (program\$1 or software\$1) with generator\$1) and	USPAT;	2004/01/31 16:36
		(event\$1 with test\$3) and (input with event\$1)) and (system	US-PGPUB;	
		with verif\$7)	EPO; JPO; DERWENT;	
			IBM TDB	
_	24	((test\$3 with (program\$1 or software\$1) with generator\$1) and	USPAT;	2004/01/31 16:44
		(event\$1 with test\$3) and (input with event\$1)) and (design	US-PGPUB;	
	1	with verif\$7)	EPO; JPO;	
			DERWENT;	
	30	((test\$3 with (program\$1 or software\$1) with generator\$1) and	IBM_TDB USPAT;	2004/01/31 16:47
_	30	((event\$1 with test\$3) and (input with event\$1)) and ((design or	US-PGPUB;	250-701701 10.47
		system) with verif\$7)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/04/04 40:47
-	7027	test\$3 with (program\$1 or software\$1) with generat\$3	USPAT; US-PGPUB;	2004/01/31 16:47
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	247	(test\$3 with (program\$1 or software\$1) with generat\$3) and	USPAT;	2004/01/31 16:47
		(event\$1 with test\$3) and (input with event\$1)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
L	L	<u></u>	1.0141_1.00	l

-	80	((test\$3 with (program\$1 or software\$1) with generat\$3) and (event\$1 with test\$3) and (input with event\$1)) and ((design or system) with verif\$7)	USPAT; US-PGPUB; EPO; JPO;	2004/01/31 16:49
		System, was verify	DERWENT; IBM_TDB	
-	69	(((test\$3 with (program\$1 or software\$1) with generat\$3) and	USPAT;	2004/01/31 17:59
		(event\$1 with test\$3) and (input with event\$1)) and ((design or system) with verif\$7)) and (event\$2 with (handl\$3 or trigger\$3	US-PGPUB; EPO; JPO;	
		or control\$4 or conduct\$3 or carr\$4 or interpret\$3 or detect\$3	DERWENT;	
_	34	or occur\$4 or respon\$4)) Rajsuman and Yamoto	IBM_TDB USPAT;	2004/01/31 17:11
			US-PGPUB;	
			EPO; JPO; DERWENT;	
	24	(Rajsuman and Yamoto) and (test with generat\$3)	IBM_TDB USPAT;	2004/01/31 17:12
-	21	(Rajsuman and Tamolo) and (lest with generals)	US-PGPUB;	2004/01/31 17.12
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	12	((Rajsuman and Yamoto) and (test with generat\$3)) and (event\$2 with (handl\$3 or trigger\$3 or control\$4 or conduct\$3	USPAT; US-PGPUB;	2004/01/31 17:13
		or carr\$4 or interpret\$3 or detect\$3 or occur\$4 or respon\$4))	EPO; JPO;	
			DERWENT; IBM_TDB	
-	14	(((test\$3 with (program\$1 or software\$1) with generat\$3) and	USPAT;	2004/01/31 17:54
		(event\$1 with test\$3) and (input with event\$1)) and ((design or system) with verif\$7)) and (event\$1 with condition\$1 with	US-PGPUB; EPO; JPO;	
		(satisf\$3 or trigger\$3 or occur\$5))	DERWENT;	
-	5	(((test\$3 with (program\$1 or software\$1) with generat\$3) and	IBM_TDB   USPAT;	2004/01/31 18:13
		(event\$1 with test\$3) and (input with event\$1)) and ((design or system) with verif\$7)) and ((design adj specification) same	US-PGPUB; EPO; JPO;	
		(database or (knowledge adj base)))	DERWENT;	
_	3	(((test\$3 with (program\$1 or software\$1) with generat\$3) and	IBM_TDB USPAT;	2004/01/31 18:09
		(event\$1 with test\$3) and (input with event\$1)) and ((design or	US-PGPUB;	
		system) with verif\$7)) and (architectur\$2 with simulat\$3 with test with generat\$3)	EPO; JPO; DERWENT;	
	4	(architectur\$2 with simulat\$3 with test with generat\$3) and	IBM_TDB USPAT;	2004/01/31 18:14
-	1	((design adj specification) same (database or (knowledge adj	US-PGPUB;	2004/01/31 10:14
		base))) and (test\$3 with (program\$1 or software\$1) with generat\$3)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	3	(architectur\$2 with simulat\$3) and ((design adj specification) same (database or (knowledge adj base))) and (test\$3 with	USPAT; US-PGPUB;	2004/01/31 18:15
		(program\$1 or software\$1) with generat\$3)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	1	(test with generat\$3) same ((escape adj sequence) with memory)	USPAT; US-PGPUB;	2004/02/03 15:54
		inemory)	EPO; JPO;	
			DERWENT;	
-	1	(test with generat\$3) with ((escape adj sequence) with	USPAT;	2004/02/03 15:57
		(memory or event))	US-PGPUB; EPO; JPO;	
		·	DERWENT; IBM_TDB	
-	1105	test with generat\$3 with event\$1	USPAT;	2004/02/03 16:05
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	257	test with generator with event\$1	USPAT;	2004/02/03 16:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	33	(test with generator with event\$1 with (program or	USPAT;	2004/02/03 16:07
		instruction\$1))	US-PGPUB;	
		<i>"</i>	EPO; JPO;	
		•	DERWENT:	
			IBM TDB	